



CREATE YOUR STYLE Design Special Fall & Halloween





Design Special Beaded Pumpkin Earrings



<u>Materials</u>

SWAROVSKI ELEMENTS:

Product Group	Article No.	Amount	Size	Color
Beads	5328	94 pcs	2.5mm	Olivine (228)
Beads	5328	2 pcs	5mm	Khaki(550)
Beads	5328	2 pcs	4mm	Khaki(550)
Beads	5005	2 pcs	16mm	Crystal Red Magma (001 REDM)

Supplies:

2 Silver head pins

2 Silver ear wires

2 feet 24 gauge wire

- Step 1: To create the small leaf, cut a 4" piece of wire and string ten XILION Beads art. 5328 2.5mm Olivine.
- Step 2: Bend the wire in the shape of a horseshoe, keeping the Beads in the center.
- Step 3: Overlap the ends of the wire and create a wire wrapped loop using both tails.
- Step 4: Repeat steps 1-3 for a second small leaf.
- Step 5: To create the large leaf, repeat steps 1-3, except cut a 5" piece of wire and string on 14 XILION Beads (5328 2.5mm Olivine). Repeat for a second large leaf.
- Step 6: To create the curly vines, cut a 6" piece of wire and make a small 2mm closed loop on one end and flatten the loop (this will prevent Beads from falling off wire).
- Step 7: String 23 XILION Beads art. 5328 2.5mm Olivine onto the wire.
- Step 8: Curl the beaded wire around a skewer, chop stick or other thin stick, keeping the Beads pushed toward the looped end.
- Step 9: When you reach the end of the beaded part of the wire, wrap a loop with the remaining wire. Repeat for a second vine.
- Step 10: To assemble the earring, slide one Swarovski Bead art. 5005 16mm Crystal Red Magma onto a headpin.



"Beaded Pumpkin Earrings", page 2

- Step 11: Slide the large leaf onto the headpin and then add the small leaf using the loops formed.
- Step 12: Add one XILION Bead 5mm Khaki, one of the curly vines (through the loop made) and one XILION Bead 4mm Khaki.
- Step 13: Wire wrap a loop on the end of the headpin and attach the ear wire to the loop.
- Step 14: Repeat steps 10-13 for second earring.



Design Special Pumpkin Pendant Necklace



<u>Materials</u>

SWAROVSKI ELEMENTS:

Product Group	Article No.	Amount	Size	Color
Pendants	6621	1 pc.	28mm	Crystal Copper(001COP)
Flat Backs No Hotfix	2797	5 pcs.	8x4mm	Olivine (228)

Supplies:

24" Green silk cord
Toothpicks
1 Silver toggle clasp

2 silver cord ends2 silver 4mm jump ringsBeeswaxAcetoneQ-tipsTwo-part epoxy glue (10 minute or longer curing time)

- Step 1: Mix 2 part epoxy glue as instructed on package.
- Step 2: Using a toothpick, place 5 small dots of mixed glue evenly spaced onto the top of Swarovski Pendant.
- Step 3: Apply a small amount of beeswax to the end of a clean toothpick. Pick up one of the Swarovski Flat Backs using the tip of the beeswax toothpick and place on one of the glue dots. Repeat for the other 4 Flat Backs.
- Step 4: Slide silk cord through hole in Pendant from SWAROVSKI ELEMENTS assortment so the cord is even on both ends.
- Step 5: Make a loop with both cords near the hole of the Pendant and slide the two free ends through it. Pull the ends tight to form a knot.
- Step 6: Attach the cord ends to each free end using flat nose pliers.
- Step 7: Open the two 4mm jump rings using pliers and attach one to each cord end.
- Step 8: Attach one part of the toggle clasp to each end and close the jump rings.
- Step 9: Allow glue to dry for 24 hours. Clean any glue residue with a Q-tip dipped in acetone.



Design Special Pumpkin Pendant Earrings



<u>Materials</u>

SWAROVSKI ELEMENTS:

Product Group	Article No.	Amount	Size	Color
Pendants	6621	2 рс.	18mm	Crystal Copper(001COP)
Flat Backs No Hotfix	2797	6 pcs.	8x4mm	Olivine (228)

Supplies:

2 silver 6mm jump rings	2 silver 4mm jump rings	2 silver ear wires
Two-part epoxy glue (10 minute or longer	curing time)	Toothpicks
Beeswax	Acetone	Q-tips

- Step 1: Mix 2 part epoxy glue as instructed on package.
- Step 2: Using a toothpick, place 3 small dots of mixed glue evenly spaced onto the top of Swarovski Pendant.
- Step 3: Apply a small amount of beeswax to the end of a clean toothpick. Pick up one of the Flat Backs No Hotfix from the SWAROVSKI LEMENTS assortment using the tip of the beeswax toothpick and place onto one of the glue dots. Repeat for the other 2 Flat Backs.
- Step 4: Repeat for the second Pendant.
- Step 5: Allow glue to dry for recommended time on glue package. Clean any glue residue with a Q-tip dipped in acetone.
- Step 6: Open both of the 6mm jump rings using flat nose pliers.
- Step 7: Attach one 6mm jump ring to the hole in the top of the Swarovski Pendant and then to the closed 4mm jump ring. Close the 6mm jump ring to secure.
- Step 8: Open the 4mm jump ring and attach to the ear wire.
- Step 9: Repeat Steps 7-8 for second earring.



Design Special Jack-o-Lantern Pendant Necklace



<u>Materials</u>

SWAROVSKI ELEMENTS:

Product Group	Article No.	Amount	Size	Color
Pendants	6621	2 рс.	18mm	Crystal Copper(001COP)
Flat Backs No Hotfix	2797	6 pcs.	8x4mm	Olivine (228)

Supplies:

24" Black Silk Cord1 6mm silver or gun metal jump ringTwo-part epoxy glue (10 minute or longer curing time)BeeswaxAcetone

1 silver or gun metal jewelry tag Toothpicks Q-tips

- Step 1: Mix 2 part epoxy glue as instructed on package.
- Step 2: Using a toothpick, place 5 small dots of mixed glue alternately placed near the bottom of one of the Swarovski Flat Backs art. 2035 30mm.
- Step 3: Apply a small amount of beeswax to the end of a clean toothpick. Pick up one of the Flat Backs art. 2400 using the tip of the beeswax toothpick and place on one of the glue dots. Repeat for the other 4 Flat Backs.
- Step 4: Repeat steps 2 and 3 to glue on triangular Swarovski Flat Backs for eyes and nose.
- Step 5: Spread glue on back of the other Flat Back art. 2035 30mm. Lay the flat bail on the back so the loop is above the top of the crystal. Lay the embellished Flat Backs art. 2035 from steps 2-4 on top of the Flat Backs art. 2035 with the glue. Let dry for the amount of time stated in the instructions on the glue package.
- Step 6: Clean any glue residue with a Q-tip dipped in acetone.
- Step 7: Open the 6mm jump ring and attach it to the loop in the bail. Close the jump ring to secure.
- Step 8: Slide silk cord through the jump ring so the cord is even on both ends. Tie the cord to the desired length.



Design Special Jack-o-Lantern Earrings



<u>Materials</u>

SWAROVSKI ELEMENTS:

Product Group	Article No.	Amount	Size	Color
Pendants	6621	2 pc.	18mm	Crystal Red Magma (001REDM)
Flat Backs No Hotfix (square)	2400	6 pcs	3mm	Jet (280)
Flat Backs No Hotfix (round)	2028	10 pcs	SS7	Jet (280)

Supplies:

2 gun metal 6mm jump rings2 gun metal 4mm jump rings2 gun metal ear wiresTwo-part epoxy glue (10 minute or longer curing time)ToothpicksBeeswaxAcetoneQ-tips

Instruction

Step 1: Mix 2 part epoxy glue as instructed on package.

- Step 2: Using a toothpick, place 5 small dots of mixed glue evenly spaced onto the bottom of Pendant from the SWAROVSKI ELEMENTS assortment to form the mouth.
- Step 3: Apply a small amount of beeswax to the end of a clean toothpick. Pick up one of the Flat Backs art. 2028 ss7 using the tip of the beeswax toothpick and place onto one of the glue dots. Repeat this step for the other 4 Swarovski Flat Backs art. 2028.
- Step 4: Place 2 glue dots near top of Pendant for eyes and one in center for nose. Repeat step 3 using the Flat Backs art. 2400.
- Step 5: Repeat steps 3 and 4 for the second earring.
- Step 6: Allow glue to dry for recommended time on glue package. Clean any glue residue with a Q-tip dipped in acetone.
- Step 7: Open both of the 6mm jump rings using flat nose pliers.
- Step 8: Attach one 6mm jump ring to the hole in the top of the Swarovski Pendant and then to the closed 4mm jump ring. Close the 6mm jump ring to secure.

DESIGN SPECIAL HALLOWEEN & FALL



"Jack-o-Lantern Earrings", page 2

- Step 9: Open the 4mm jump ring and attach to the ear wire.
- Step 10: Repeat steps 7-8 for second earring.

DESIGN SPECIAL HALLOWEEN & FALL



Design Special Ghost Pendant Necklace



<u>Materials</u>

SWAROVSKI ELEMENTS:

Product Group	Article No.	Amount	Size	Color
Pendants	6900	1 pc.	30x45mm	Crystal (001)
Flat Backs No Hotfix	2797	1 pc.	8x4mm	Crystal F (001)
Flat Backs No Hotfix (round)	2028	2 pcs.	SS14	Jet (280)

Supplies:

24" White silk cord	2 silver cord ends	2 silver 4mm ju	mp rings
1 Silver clasp	Two- part epoxy glue (10 minute	or longer curing	time)
Toothpicks	Beeswax	Acetone	Q-tips

Instructions

Step 1: Mix 2 part epoxy glue as instructed on package.

- Step 2: Using a toothpick, place 1 small dot of mixed glue near bottom of Pendant from the SWAROSVKI ELEMENTS assortment (see picture for correct way to lay Pendant).
- Step 3: Apply a small amount of beeswax to the end of a clean toothpick. Pick up the Flat Back art. 2797 using the tip of the beeswax toothpick and place on the glue dot to make the mouth.
- Step 4: Apply two small dots of glue above the "mouth" and using the beeswax toothpick apply the two Swarovski Flat Backs art. 2028 for the eyes.
- Step 5: Slide silk cord through hole in Pendant so the cord is even on both ends.
- Step 6: Make a loop with both cords near the hole of the pendant and slide the two free ends through it. Pull the ends tight to form a knot.
- Step 7: Attach the cord ends to each free end using flat nose pliers.
- Step 8: Open the two 4mm jump rings using pliers and attach one to each cord end.
- Step 9: Attach one part of the clasp to each end and close the jump rings.
- Step 10: Allow glue to dry for 24 hours. Clean any glue residue with a Q-tip dipped in acetone.



Design Special Ghost Pendant Earrings



<u>Materials</u>

SWAROVSKI ELEMENTS:

Product Group	Article No.	Amount	Size	Color
Pendants	6900	2 рс.	13.5x20mm	Crystal (001)
Flat Backs No Hotfix (round)	2028	4 pcs.	SS7	Jet (280)

Supplies:

2 silver 8mm jump rings	2 silver 4mm jump rings	2 silver ear wires
Two-part epoxy glue (10 minute or	longer curing time)	Toothpicks
Beeswax	Acetone	Q-tips

- Step 1: Mix 2 part epoxy glue as instructed on package.
- Step 2: Using a toothpick, place 2 small dots of mixed glue near right center of one Pendant from the SWAROVSKI ELEMENTS assortment and left center of the other (see picture for correct way to lay Pendant).
- Step 3: Apply a small amount of beeswax to the end of a clean toothpick. Pick up one Swarovski Flat Back art. 2028 using the tip of the beeswax toothpick and place on one of the glue dots. Repeat with second Flat Back art. 2028.
- Step 4: Allow glue to dry for recommended time on glue package. Clean any glue residue with a Q-tip dipped in acetone.
- Step 5: Open both of the 8mm jump rings using flat nose pliers.
- Step 6: Attach one 8mm jump ring to the hole in the top of the Swarovski Pendant and then to the closed 4mm jump ring. Close the 8mm jump ring to secure.
- Step 7: Open the 4mm jump ring and attach to the ear wire.
- Step 8: Repeat steps 7-8 for second earring



Design Special Bat Pendant Earrings



<u>Materials</u>

SWAROVSKI ELEMENTS:

Product Group	Article No.	Amount	Size	Color
Pendants	6902	2 рс.	16.5x25mm	Jet (280)
Flat Backs No Hotfix (round)	2028	4 pcs.	SS10	Light Siam(227)

Supplies:

2 gun metal 8mm jump rings	2 gun metal 4mm jump rings	2 gun metal ear wires
Two-part epoxy glue (10 minute or longer	curing time)	Toothpicks
Beeswax	Acetone	Q-tips

- Step 1: Mix 2 part epoxy glue as instructed on package.
- Step 2: Using a toothpick, place 2 small dots of mixed glue near center of Pendant from the SWAROSVKI ELEMENTS assortment (see picture for correct way to lay Pendant.)
- Step 3: Apply a small amount of beeswax to the end of a clean toothpick. Pick up one Swarovski Flat Back art. 2028 using the tip of the beeswax toothpick and place on one of the glue dots. Repeat with second Flat Back art. 2028.
- Step 4: Allow glue to dry for recommended time on glue package. Clean any glue residue with a Q-tip dipped in acetone.
- Step 5: Open both of the 8mm jump rings using flat nose pliers.
- Step 6: Attach one 8mm jump ring to the hole in the top of the Swarovski Pendant and then to the closed 4mm jump ring. Close the 8mm jump ring to secure.
- Step 7: Open the 4mm jump ring and attach to the ear wire.
- Step 8: Repeat steps 7-8 for second earring.



Design Special Cornucopia Earrings



<u>Materials</u>

SWAROVSKI ELEMENTS:

Product Group	Article No.	Amount	Size	Color
Beads	5540	2 pcs	17mm	Crystal Copper (001 COP)
Beads	5328	36 pcs	2.5mm	A variety of the following colors: Olivine (228), Crystal Red Magma (001 REDM), Crystal Golden Shadow (001 GSHA), Crystal Copper (001 COP), Topaz (203), Smoked Topaz (220), Crystal Metallic Light Gold 2x (001 MLG2)
Beads	5328	36 pcs	3mm	A variety of the same colors as above.
Beads	5000	36 pcs	3mm	A variety of the same colors as above.
Beads	5040	18 pcs	4mm	Crystal Red Magma (001 REDM)
Crystal Pearls	5810	54 pcs	3mm	Crystal Copper (001 159), Crystal Bright Gold (001 306), Crystal Dark Green (001 814), Crystal Maroon (001 388), Crystal Bright Gold (001 306)
Crystal Pearls	5810	36 pcs	5mm	A variety of the same colors used above
Pendants	6007	18 pcs	7x4mm	Crystal Copper (001 COP) or Topaz (203)

Supplies: 6 gun metal jump rings 6mm 6" gun metal chain 6" 24 gauge wire

2 gun metal ear wires 28 gauge craft wire 1 spool



"Cornucopia Earrings", page 2

- Step 1: Make all wire components prior to assembly (12 for each side) using whatever combination of Beads and Pearls from the SWAROVSKI ELEMENTS assortment you would like.
- Step 2: Cut a 5" piece of 28 gauge wire. Bend it in a U shape, keeping one end longer than the other. String 12 Swarovski Beads and Crystal Pearls onto the wire (use a variety of colors and sizes of the XILION Beads art. 5328 2.5mm & 3mm, round Beads 3mm, Crystal Pearls 3mm and 5mm and use 1 Swarovski Pendant art. 6007 in the middle of the strand).
- Step 3: Cross the short wire end over the long end and twist the wires together. Snip off the short wire end (keep the long wire end intact).
- Step 4: Repeat steps 2 & 3 seventeen more times to make 18 beaded wires (9 for each earring).
- Step 5: Cut a 6" piece of 28 gauge wire and string on one Swarovski Bead art. 5040 4mm. Keeping the Bead in the middle of the wire, twist the two ends together 3-4 times.
- Step 6: String one more Swarovski Bead art. 5040 4mm onto one wire end leaving about 10mm of wire between this Bead and the one from the previous step. Coil the 10mm of wire between the two Beads so the wire is a spiral between the two Beads.
- Step 7: String another Swarovski Bead art. 5040 4mm onto the other wire end, again leaving 10mm of wire between the two Beads. Coil the wire between the Beads as done in step 6.
- Step 8: Twist the two tail ends of the wire together 3-4 times. Cut off the short end and leave the long wire end.
- Step 9: Repeat steps 5-8 five more times (you will have 3 strands for each earring).
- Step 10: Cut the chain into 4 equal lengths. Open the 4 jump rings and attach one piece of chain to each. Close the jump rings securely.
- Step 11: Pick up 9 beaded wires from steps 1-3 and 3 beaded wires from steps 5-8. Holding the wires together, slide them through one of the jump rings with the attached chain.
- Step 12: Slide the wires through the Swarovski Bead art. 5540 going in the wide end and coming out the narrow end. Slide a jump ring with attached wire onto the twelve wire ends.
- Step 13: Cut a 2" piece of 24 gauge wire. Hold the 2" piece of wire along the length of the Swarovski Bead art. 5540. At the point where the 24 gauge wire meets the twelve 28 gauge wires begin to wrap a coil around the 28 gauge wires (after the jump ring) with the 24 gauge wire. Wrap it 3-4 times, keeping them tight.
- Step 14: When the 28 gauge wires are held tight, cut off the ends of the 24 gauge wire. Tuck in any loose ends and then cut off the excess 28 gauge wires.
- Step 15: Open a jump ring and attach the two chain ends and the ear wire to the jump ring. Close the jump ring to secure. You can cut the chain to make a shorter earring if desired.
- Step 16: Repeat steps 11- 15 for the other earring.