

CREATE
YOUR STYLE with
CRYSTALLIZED™
– Swarovski Elements

DESIGN PROJECT
MOTHER'S DAY
NECKLACE

Instruction Guide



MOTHER'S DAY NECKLACE



Sewing



Stringing

CRYSTALLIZED™ - Swarovski Elements

Article	Product Group	Article No.	Amount	Size	Color	Color Code
	Beads	5000	27 pcs.	3mm	Black Diamond	215
	Beads	5000	28 pcs.	3mm	Greige	284
	Beads	5000	11 pcs.	3mm	Jet Hematite	280 HEM
	Beads	5000	28 pcs.	3mm	Provence Lavender	283
	Crystal Pearls	5810	14 pcs.	3mm	Crystal Lavender Pearl	001 524
	Crystal Pearls	5810	14 pcs.	3mm	Crystal Lt Grey Pearl	001 616
	Crystal Pearls	5811	74 pcs.	8mm	Crystal Lt Grey Pearl	001 616
	Crystal Pearls	5840	1pcs.	14mm	Crystal Black Pearl	001 298
	Pendants	6901	1pcs.	45mm	Crystal Silver Shade	001 SSHA

Supplies & Tools


Supplies

2x Crimping tube, silver, 2 x 1.8 mm
 20 x10 cm Leather, beige, 20 x10 cm
 3.2 m Nylon thread, transparent, 0.25 mm
 1 m Nylon thread, transparent, 0.15 mm
 2x Ribbon satin, light grey, 4 mm
 75 cm Tiger tail, silver, 0.46



Tools

Crimping pliers
 Double sided sticky tape
 Pearl needle
 Scissors
 Sewing needle
 Sheet of paper, A4


STEP 1: Print out the pattern below onto a sheet of plain paper and cut it out along the red marked outline.




STEP 2: Use double sided sticky tape to adhere the paper pattern onto leather and cut the leather out along the red marked outline. Cut the vertical lines that are marked red in the bottom illustration.






STEP 3: Remove the paper pattern and roll the leather piece into a tassel as shown in the illustration.




STEP 4: Fix the tassel with a small piece of double sided sticky tape.




STEP 5: Cut 1m of 0.15mm nylon thread and attach the thread with 4 back stitches on top of the tassel. Cut 27cm of 4mm satin ribbon and attach it with 4 back stitches in the middle of the top of the tassel. Slide the 5811 14mm Crystal Black Pearl onto the thread and attach it 3 times onto the tassel then bow up the satin ribbon ends and go 4 times through satin ribbon ends and pearl. Make 4 back stitches on the tassel and cut off nylon thread with scissors.




STEP 6: Cut nine 35cm pieces of 0.25mm nylon thread. Slide onto one thread eleven CRYSTALLIZED™ 5000 4mm Jet Hematite Beads.



STEP 7: Knot the nylon thread with Beads around the top of the tassel as shown in the illustration. After double knotting, slide the ends back through a bead and cut the excess off.



STEP 8: Slide onto the 8 remaining pieces of nylon thread the Crystal Pearls and 5000 Round Beads as shown in the illustration. Repeat step 7 to attach them all onto tassel.



Repeat step 7 x 8




Figure 1 illustrates the preparation of microcarrier beads. The process begins with a wire of 0.46 mm diameter and 75 cm length. The wire is bent into a loop, and a small piece is cut off. The remaining wire is then bent into a series of loops, with the final loop being 4 mm in diameter. The final product is a microcarrier bead, which is a series of loops of wire, with a total length of 74 times the diameter of the final loop (x74). The diagram is divided into three numbered steps: 1. Bending the wire into a loop. 2. Cutting a small piece of the wire. 3. Bending the wire into a series of loops.


4 mm

27 cm x 2

8 cm

Repeat x 1

STEP 11: Tie a knot as shown below and cut off short end leaving about 4mm of ribbon.



STEP 12: Cut 28cm of 4mm satin ribbon and slide on the 6901 CRYSTALLIZED™ Pendant. Put the pendant and tassel around the Crystal Pearl necklace as you see in the illustration (be sure to position it in the middle of the necklace). Attach it by knotting the satin ribbons as shown. You can shorten the ends if desired.

